

### **Document No:**

Division: Ark Site / Location: As Required

#### Supplier details:

PestFix, Units 1-3 Cedar Park, 30 Terminus Road, Chichester, West Sussex, PO19 8GT

Email: <a href="mailto:sales@pestfix.co.uk">sales@pestfix.co.uk</a> Telephone number: 01903 538488

#### Name of substance and any supplier reference numbers:

PHOBI CAPS

#### **Relevant Identified Uses:**

Insecticide - biocidal use

Professional use

Refer to product label for detail on use and restrictions.

Number of personnel exposed	Direct	Indirect	Client	Sub Contractor	Public	Others
	1	0	0	0	0	0
Substances used / exposed to?	Quantity used	Frequency	SDS Yes/No	WEL	Hazards	Exposure route
Ingredients:  • CYPERMETHRI  N 2.5 <= x % < 10  • PRALLETHRIN  0 <= x % < 2.5	As per product label following site survey.	As per product label following site survey.	Yes	No data available.	*	Ingestion Inhalation Skin Contact

Do any of the substances produce a significant risk to health?

Can any of the substances be replaced with less hazardous substances?

No

#### What measures are provided to control the risk?

**Ventilation** General

PPE – state the type.

Tick the PPE Required:





















Face   Goggles   Safety   Safety   Safety   Dust   Apron   Gloves   Gloves								1		1
Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166 Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended: - PVA (Polyvinyl alcohol) - Butyl Rubber (Isobutylene-isoprene copolymer) Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed. In case of pulverisation, wear a A2P3 mask.  Precautions for safe handling: Always wash hands after handling. Ensure that there is adequate ventilation, especially in confined areas Conditions for safe storage, including any incompatibilities Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  No  No			Goggles	-						
Before handling, wear safety goggles in accordance with standard EN166 Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended: - PVA (Polyvinyl alcohol) - Butyl Rubber (Isobutylene-isoprene copolymer) Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed. In case of pulverisation, wear a A2P3 mask.    Precautions for safe handling:   Always wash hands after handling:   Controls   Control in procedure   Control in pr		VISUI		Glasses	311065	Official	(Coverails)	Mask		Gloves
Before handling, wear safety goggles in accordance with standard EN166 Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended: - PVA (Polyvinyl alcohol) - Butyl Rubber (Isobutylene-isoprene copolymer) Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed. In case of pulverisation, wear a A2P3 mask.    Precautions for safe handling:   Always wash hands after handling:   Controls   Control in procedure   Control in pr										
Before handling, wear safety goggles in accordance with standard EN166 Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended: - PVA (Polyvinyl alcohol) - Butyl Rubber (Isobutylene-isoprene copolymer) Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed. In case of pulverisation, wear a A2P3 mask.    Precautions for safe handling:   Always wash hands after handling:   Conditions for safe storage, including any incompatibilities   Keep the container tightly closed in a dry, well-ventilated place.   The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.   Keep away from sources of ignition, heat and direct sunlight.   Yes   Is health surveillance required?   (Consult your local   Consult your loc										
Wear suitable protective gloves in the event of prolonged or repeated skin contact.  Type of gloves recommended: - PVA (Polyvinyl alcohol) - Butyl Rubber (Isobutylene-isoprene copolymer) Work clothing worn by personnel shall be laundered regularly.  After contact with the product, all parts of the body that have been soiled must be washed. In case of pulverisation, wear a A2P3 mask.  Precautions for safe handling: Always wash hands after handling. Ensure that there is adequate ventilation, especially in confined areas Conditions for safe storage, including any incompatibilities Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  No  No		Use eye protectors designed to protect against liquid splashes								
Type of gloves recommended: - PVA (Polyvinyl alcohol) - Butyl Rubber (Isobutylene-isoprene copolymer) Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed. In case of pulverisation, wear a A2P3 mask.    Management Controls		Before h	nandling	, wear saf	ety goggle	es in accord	dance with s	tandard	EN166	
- PVA (Polyvinyl alcohol) - Butyl Rubber (Isobutylene-isoprene copolymer) Work clothing worn by personnel shall be laundered regularly.  After contact with the product, all parts of the body that have been soiled must be washed. In case of pulverisation, wear a A2P3 mask.   Management Controls Refer to the hierarchy of control in procedure V(P)213, page 3  Precautions for safe handling: Always wash hands after handling. Ensure that there is adequate ventilation, especially in confined areas Conditions for safe storage, including any incompatibilities Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  No  No  No  No		Wear suitable protective gloves in the event of prolonged or repeated skin contact.								
- Butyl Rubber (Isobutylene-isoprene copolymer) Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed. In case of pulverisation, wear a A2P3 mask.  Precautions for safe handling: Always wash hands after handling. Ensure that there is adequate ventilation, especially in confined areas Conditions for safe storage, including any incompatibilities Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  No  No  No		Type of gloves recommended :								
Work clothing worn by personnel shall be laundered regularly.  After contact with the product, all parts of the body that have been soiled must be washed.  In case of pulverisation, wear a A2P3 mask.  Management Controls  Refer to the hierarchy of control in procedure V(P)213, page 3  Precautions for safe handling. Ensure that there is adequate ventilation, especially in confined areas Conditions for safe storage, including any incompatibilities Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  No  No		- PVA (Polyvinyl alcohol)								
After contact with the product, all parts of the body that have been soiled must be washed.  In case of pulverisation, wear a A2P3 mask.  Management Controls Refer to the hierarchy of control in procedure V(P)213, page 3  Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  Is health surveillance required?  (Consult your local		- Butyl Rubber (Isobutylene-isoprene copolymer)								
Management Controls Refer to the hierarchy of control in procedure V(P)213, page 3  Are the control measures adequate?  Is health surveillance required?  (Consult your local  Management Controls Refer to the hierarchy of control in procedure V(P)213, page 3  Precautions for safe handling: Always wash hands after handling. Ensure that there is adequate ventilation, especially in confined areas Conditions for safe storage, including any incompatibilities Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  No										
Management Controls Refer to the hierarchy of control in procedure V(P)213, page 3  Precautions for safe handling: Ensure that there is adequate ventilation, especially in confined areas Conditions for safe storage, including any incompatibilities Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  Is health surveillance required? (Consult your local										
Always wash hands after handling.  Ensure that there is adequate ventilation, especially in confined areas  Conditions for safe storage, including any incompatibilities  Keep the container tightly closed in a dry, well-ventilated place.  The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.  Keep away from sources of ignition, heat and direct sunlight.  Yes  Is health surveillance required?  (Consult your local		In case of pulverisation, wear a A2P3 mask.								
Always wash hands after handling.  Ensure that there is adequate ventilation, especially in confined areas  Conditions for safe storage, including any incompatibilities  Keep the container tightly closed in a dry, well-ventilated place.  The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.  Keep away from sources of ignition, heat and direct sunlight.  Yes  Is health surveillance required?  (Consult your local	Management	Precau	tions fo	r safe han	dling:					
Refer to the hierarchy of control in procedure V(P)213, page 3  Conditions for safe storage, including any incompatibilities  Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  Is health surveillance required?  (Consult your local		Always wash hands after handling.								
of control in procedure V(P)213, page 3  Keep the container tightly closed in a dry, well-ventilated place. The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  Is health surveillance required?  (Consult your local	Refer to the hierarchy									
The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area. Keep away from sources of ignition, heat and direct sunlight.  Yes  Is health surveillance required?  (Consult your local	-									
Keep away from sources of ignition, heat and direct sunlight.  Yes  Is health surveillance required?  (Consult your local	V(P)213, page 3									
Are the control measures adequate?  Is health surveillance required? (Consult your local		accidental spillage, the liquid cannot spread beyond this area.								
measures adequate?  Is health surveillance required?  (Consult your local		Keep away from sources of ignition, heat and direct sunlight.								
Is health surveillance required? (Consult your local		Yes								
required? (Consult your local	measures adequate?									
		No								
QHSE Advisor)	(Consult your local									
	QHSE Advisor)									
Are there any specific No		No								
emergency										
procedures necessary related to	_									
the use or storage of	-									
any of the	_									
substances?										
Are there any specific Do not pour into drains or waterways.		Do not p	oour into	drains or	waterwa	/S.				
to the disposal of any  harming the environment and in particular without endangering human health, without to the disposal of any	-			_			_	_		
of the substances in		harming the environment and, in particular without risk to water, air, soil, plants or								
use?		animals.								



	Do not contaminate the ground or water with waste, do not dispose of waste into the environment.					
	Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.					
What information, instruction and training are required for operatives using the substance or carrying out the process?	<ul> <li>All operatives are required to complete a Health &amp; Safety induction (including training on correct use of PPE, storage, and transport of pest control products), training, and receive instruction and assessment in the use of substance before being deemed competent to carry out the process.</li> <li>Operatives instructed to follow CoSHH and Risk Assessment in the transport, storage, and application of substance.</li> <li>Risk Assessment on rodenticide use available on Smart Phone and in site folder (if applicable).</li> <li>CoSHH Assessment for product available on Smart Phone and in site folder (if</li> </ul>					
	applicable).					
	<ul> <li>Manufacturer's Safety Data Sheet available from:</li> </ul>					
	https://arkpestcontrol.com/coshh-msds-labels					
First aid measures in the event of accidental exposure?	In the event of exposure by inhalation: Remove casualty to fresh air and keep warm and at rest. Seek medical attention if difficulties appear and persist. In the event of splashes or contact with eyes: In case of eye exposure, flush eyes with eye wash solution or water, holding eyelids open for at least 10 min. Seek medical attention immediately. In the event of splashes or contact with skin: Wash with plenty of water and soap. Remove contaminated clothing immediately and dispose off safely. In the event of swallowing: In the event of swallowing; In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Keep the person exposed at rest. Do not force vomiting. Seek medical attention, showing the label					
When was the information, instruction and training provided?	Enter who provided the training and date?  Refer to technicians training record.					
CoSHH Assessor	Print Name:	Signature:				
Date of assessment		Date for review				

