



BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law
Reference number: 000207
Issue date: 10/11/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : BRODIFACOUM 50 BAIT BLOCK
UFI : 2TT2-00KU-W00J-V0C1
Type of product : Biocidal products (e.g. Disinfectants, pest control)
Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Rodenticides
Function or use category : Ready to use Rodenticide containing 50ppm Brodifacoum.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

PelGar International Limited
Unit 13
Newman Lane
GU34 2QR Alton, Hampshire
United Kingdom
T +44 (0)1420 80744
sds@pelgar.co.uk, www.pelgar.co.uk

Only Representative

PelGar International Limited
18 rue des Remparts d'Ainay
69002 Lyon
France
T +44 (0)1420 80744
SDS@pelgar.co.uk, www.pelgar.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0)1420 80744 (M-F 09:00-17:00 GMT)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 1A H360D
Specific target organ toxicity – Repeated exposure, Category 2 H373
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

Signal word (CLP)

: Danger

Contains

: brodifacoum (ISO); 4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin; 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one; oclothilone (ISO); 2-octyl-2H-isothiazol-3-one

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.
H360D - May damage the unborn child.
H373 - May cause damage to organs (blood) through prolonged or repeated exposure (if swallowed).

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P314 - Get medical advice/attention if you feel unwell.
P321 - Specific treatment (see ANTIDOTE on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with national regulations.

EUH-statements

: EUH208 - Contains 1,2-benzisothiazol-3(2H)-one (2634-33-5), 2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1). May produce an allergic reaction.

Extra phrases

: Use of protective gloves is required for Professional users only.
Keep away from food, drink and animal feeding stuffs.
The most relevant P Phrase statements based on Pack Size and End User are on product labels. Additional P Phrase statements are included on the SDS for information only.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
PROPYLENE GLYCOL substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809-23	$\geq 1 - < 5$	Not classified
2,2',2''-NITRILOTRIETHANOL substance with national workplace exposure limit(s) (CZ)	CAS-No.: 102-71-6 EC-No.: 203-049-8 REACH-no: 01-2119486482-31	< 1	Not classified

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	< 1	Acute Tox. 4 (Oral), H302 (ATE=597 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (Active substance (Biocide))	CAS-No.: 56073-10-0 EC-No.: 259-980-5 EC Index-No.: 607-172-00-1	0.005	Acute Tox. 1 (Oral), H300 (ATE=0.5 mg/kg) Acute Tox. 1 (Dermal), H310 (ATE=5 mg/kg) Acute Tox. 1 (Inhalation), H330 (ATE=0.005 mg/l) Acute Tox. 1 (Inhalation:dust,mist), H330 (ATE=0.005 mg/l) Repr. 1A, H360D STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
2-OCTYL-2H-ISOTHIAZOL-3-ONE substance with national workplace exposure limit(s) (AT, DE, SI, MK, CH)	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	< 1	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.76 mg/l/4h) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) EUH071
DIETHANOLAMINE substance with national workplace exposure limit(s) (CZ)	CAS-No.: 111-42-2 EC-No.: 203-868-0 EC Index-No.: 603-071-00-1 REACH-no: 01-2119488930-28	< 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0.05 ≤ C ≤ 100) Skin Sens. 1, H317
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (Active substance (Biocide))	CAS-No.: 56073-10-0 EC-No.: 259-980-5 EC Index-No.: 607-172-00-1	(0.002 ≤ C < 0.02) STOT RE 2, H373 (0.003 ≤ C ≤ 100) Repr. 1A, H360D (0.02 ≤ C ≤ 100) STOT RE 1, H372
2-OCTYL-2H-ISOTHIAZOL-3-ONE	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine. Antidote: Vitamin K1 administered by medical/veterinary personnel only. . Seek medical attention immediately.
First-aid measures after inhalation	: Inhalation unlikely. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. and then. Wash skin with soap and water.
First-aid measures after eye contact	: Rinse eyes with eye-rinse liquid or water, keep eyes lids open at least 10 minutes.
First-aid measures after ingestion	: Rinse mouth out with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Place under medical observation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry chemical powder, Alcohol-resistant foam, Carbon dioxide (CO2). Water fog.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire	: Control run-off water by containing and keeping it out of sewers and watercourses.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------

6.2. Environmental precautions

Avoid release to the environment. Harmful to wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance to its label.

6.3. Methods and material for containment and cleaning up

For containment	: Using a clean shovel, put the material in a dry container and cover without compressing it.
-----------------	-----------------------------------------------------------------------------------------------

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Wax may soften in excessive temperatures. It will not melt fully and will remain contained in bait station. Comply with the safety instructions.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep away from food and drink. Keep container tightly closed. Keep only in original container. Store locked up.
Storage area : Store away from heat. Store in a well-ventilated place.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

PROPYLENE GLYCOL (57-55-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA)	10 mg/m ³ particulates 474 mg/m ³ total vapour and particulates
	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Do not exceed the occupational exposure limits (OEL).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Blue. Red.
Odour	: Slight.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

Softening point : > 50 °C Wax becomes malleable @ 50°C and start to fuse together @ 70°C

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)	
LD50 oral rat	< 5 mg/kg
LD50 dermal rat	7.48 mg/kg
LC50 Inhalation - Rat	3.05 µg/l
DIETHANOLAMINE (111-42-2)	
LD50 oral rat	1600 mg/kg
LD50 dermal rabbit	> 8200 mg/kg
LC50 Inhalation - Rat [ppm]	> ppm
LC50 Inhalation - Rat (Dust/Mist)	3.35 mg/l/4h No deaths occurred at this concentration
2,2',2"-NITRILOTRIETHANOL (102-71-6)	
LD50 oral rat	6400 mg/kg
LD50 dermal rat	<
LD50 dermal rabbit	> 2000 mg/kg No deaths occurred at this concentration
PROPYLENE GLYCOL (57-55-6)	
LD50 oral rat	22000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 317042 mg/l/4h
1,2-benzisothiazol-3(2H)-one (2634-33-5)	
LD50 oral rat	597 mg/kg

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

1,2-benzisothiazol-3(2H)-one (2634-33-5)	
LD50 dermal rat	> 2000 mg/kg
2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1)	
LD50 oral rat	550 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	0.76 mg/l/4h
Skin corrosion/irritation	: Not classified
DIETHANOLAMINE (111-42-2)	
pH	11 – 12 105g/l at 25C
Serious eye damage/irritation	: Not classified
DIETHANOLAMINE (111-42-2)	
pH	11 – 12 105g/l at 25C
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
DIETHANOLAMINE (111-42-2)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: May damage the unborn child.
1,2-benzisothiazol-3(2H)-one (2634-33-5)	
NOAEL (animal/female, F1)	56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs (blood) through prolonged or repeated exposure (if swallowed).
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)	
STOT-repeated exposure	Causes damage to organs (blood) through prolonged or repeated exposure (if swallowed).
DIETHANOLAMINE (111-42-2)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
BRODIFACOUM 50 BAIT BLOCK	
Viscosity, kinematic	Not applicable
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)	
LC50 - Fish [1]	0.042 mg/l
EC50 - Other aquatic organisms [1]	0.25 mg/l
DIETHANOLAMINE (111-42-2)	
LC50 - Fish [1]	1460 mg/l Pimephales promelas (fathead minnow)
EC50 - Crustacea [1]	55 mg/l Daphnia magna (Water flea)
ErC50 algae	2.2 mg/l Pseudokirchneriella subcapitata (green algae), 96 hours
NOEC chronic crustacea	0.78 mg/l
2,2',2''-NITRILOTRIETHANOL (102-71-6)	
LC50 - Fish [1]	> 11800 mg/l Pimephales promelas (fathead minnow)
EC50 - Crustacea [1]	609.9 mg/l Ceriodaphnia dubia (water flea)
EC50 72h - Algae [1]	512 mg/l alga Scenedesmus sp
NOEC chronic crustacea	16 mg/l 21 days, Daphnia magna (Water flea)
1,2-benzisothiazol-3(2H)-one (2634-33-5)	
LC50 - Fish [1]	0.74 mg/l
EC50 - Crustacea [1]	2.44 mg/l
2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1)	
LC50 - Fish [1]	0.18 mg/l
LC50 - Fish [2]	0.047 mg/l
EC50 - Crustacea [1]	0.32 mg/l
EC50 - Crustacea [2]	0.107 ppm
ErC50 algae	0.084 mg/l
NOEC chronic fish	0.085 ppm
NOEC chronic crustacea	0.74 ppm
12.2. Persistence and degradability	
BRODIFACOUM 50 BAIT BLOCK	
Persistence and degradability	Not rapidly degradable
brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1- naphthyl)coumarin (56073-10-0)	
Persistence and degradability	Not rapidly degradable
DIETHANOLAMINE (111-42-2)	
Persistence and degradability	Readily biodegradable.
Biodegradation	93 % 28 days
2,2',2''-NITRILOTRIETHANOL (102-71-6)	
Persistence and degradability	Readily biodegradable.
Biodegradation	97 % 28 days
PROPYLENE GLYCOL (57-55-6)	
Persistence and degradability	Not rapidly degradable

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

1,2-benzisothiazol-3(2H)-one (2634-33-5)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

DIETHANOLAMINE (111-42-2)

Partition coefficient n-octanol/water (Log Pow)	-2.18 at 25C
Bioaccumulative potential	Low bioaccumulation potential.

2,2',2''-NITRILOTRIETHANOL (102-71-6)

Bioconcentration factor (BCF REACH)	< 3.9 Cyprinus carpio (Carp), 42 days
Partition coefficient n-octanol/water (Log Pow)	-2.3 at 25C
Bioaccumulative potential	Low bioaccumulation potential.

12.4. Mobility in soil

DIETHANOLAMINE (111-42-2)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 Estimated
------------------------------------------------------------	-------------

2,2',2''-NITRILOTRIETHANOL (102-71-6)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	10 Estimated
------------------------------------------------------------	--------------

12.5. Results of PBT and vPvB assessment

Component

DIETHANOLAMINE (111-42-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2,2',2''-NITRILOTRIETHANOL (102-71-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Denmark

Hazardous Waste Group : European waste catalogue (EWC) Waste code 20 01 19*: pesticides

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

ADR	IMDG	IATA
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
No supplementary information available		

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains substance(s) listed on the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items: Triethanolamine (102-71-6)

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Biocide Regulation (528/2012)

Contains substance(s) listed on the Biocidal Products list (Regulation EU 528/2012 concerning the making available on the market and use of biocidal products)

Type of product (Biocide) : 14 - Rodenticides
Authorisation number :
Contains : brodifacoum (ISO); 4-hydroxy-3-(3-(4'- bromo-4-biphenyl)- 1,2,3,4-tetrahydro-1-naphthyl)coumarin (0.01 % (percentage))

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Abbreviations and acronyms:	
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Other information : The information contained in this Safety Data Sheet is believed to be true and correct, as of the issue date. The accuracy and completeness of this information and any recommendations, or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use for this product. The SDS is issued for the Great British market; please contact the Supplier for a new SDS if you are in Northern Ireland.

Full text of H- and EUH-statements:	
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 1 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one (2634-33-5), 2-OCTYL-2H-ISOTHIAZOL-3-ONE (26530-20-1). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.

BRODIFACOUM 50 BAIT BLOCK

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Full text of H- and EUH-statements:	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 1A	Reproductive toxicity, Category 1A
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Sens. 1	H317	Calculation method
Repr. 1A	H360D	Expert judgement
STOT RE 2	H373	Calculation method

Safety Data Sheet (SDS), EU

The information contained in this Safety Data Sheet is believed to be true and correct, as of the issue date. The accuracy and completeness of this information and any recommendations, or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use for this product.